

Isaac, Martha

From: Pylypchuk, Sieglinde
Sent: Tuesday, September 03, 2013 11:32 AM
To: Isaac, Martha
Subject: RE: FOIA Task Completed for EPA-R2-2013-008031- additional information

Hi Martha,
The NPDES Section has no responsive records for the New Windsor STP or the Goshen WWTP.
Thanks.
Sieg

Sieglinde (Mueller) Pylypchuk
US EPA - Region 2
Clean Water Division - NPDES Section
290 Broadway, New York, NY 10007
pylypchuk.sieglinde@epa.gov
212-637-4133

From: Isaac, Martha
Sent: Tuesday, September 03, 2013 11:30 AM
To: Pylypchuk, Sieglinde
Subject: FW: FOIA Task Completed for EPA-R2-2013-008031- additional information

Hi Siegi - Please indicate that the NPDES section does not have a responsive records for the New Windsor Sewage Treatment Plant and the Goshen Wastewater Treatment Plant. Thanks.

From: Calderon, Wanda
Sent: Tuesday, September 03, 2013 11:20 AM
To: Isaac, Martha
Subject: FW: FOIA Task Completed for EPA-R2-2013-008031

Was the narrative uploaded stating we didn't have files for the other locations?

Wanda Calderon
FOIA Specialist
Public Outreach Branch
Public Affairs Division

From: foia@erulemaking.net [<mailto:foia@erulemaking.net>]
Sent: Tuesday, September 03, 2013 11:17 AM
To: Calderon, Wanda
Subject: FOIA Task Completed for EPA-R2-2013-008031

The FOIA Task for EPA-R2-2013-008031 was completed. Additional details for this task are as follows:

Task Details:

- Tracking Number: EPA-R2-2013-008031

- Task Type: Request Detail
- Outcome: Records Uploaded
- Task Description: Please check w/original assignees and let me know if what was uploaded onto FO was responsive to the request in its entirety and nothing else is forthcoming. An interim release was performed but now requires final close out. thx
- Task Comments: The NPDES section has previously uploaded all responsive records under this FOIA request. Thanks.
- Assigned To: CWD
- Assigned By: Wanda Calderon
- Date Sent: 08/29/2013
- Due Date: 09/03/2013
- Closed Date: 09/03/2013